

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



basic-code vector to composite-code vector

Search

[Advanced Search](#)

[Preferences](#)



Web

Results 1 - 10 of about 23 for **basic-code vector to composite-code vector**. (0.28 seconds)

## 1. Device and method for composing codes invention

The ability to make selections out of a plurality of incoming **basic-code** vectors and to add intermediate-code vectors into a **composite-code vector**, ...

[www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php](http://www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php) - 32k - [Cached](#) - [Similar pages](#)

## 2. Device and method for composing codes invention

A device (100) arranged to compose **basic-code** vectors (102a, 102b up to and including 102n) into a **composite-code vector** (104), the device (100) ...

[www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306plan20080059551.php?type=claims](http://www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306plan20080059551.php?type=claims) - 21k - [Cached](#) - [Similar pages](#)  
More results from [www.freshpatents.com](http://www.freshpatents.com) »

## 3. (WO/2005/008474) DEVICE AND METHOD FOR COMPOSING CODES

A method for composing **basic-code** vectors (102a, 102b up to and including 102n) into a **composite-code vector** (104), the method comprising the steps of ...

[www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS](http://www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS) - 19k - [Cached](#) - [Similar pages](#)

## 4. Error-correction encoding and decoding system - US Patent 5371750

Therefore, code word Cy may be expressed as a **vector** (F1, ... to an error generated at the information symbol of the **basic code** is called a "pseudo-error. ...

[www.patentstorm.us/patents/5371750-description.html](http://www.patentstorm.us/patents/5371750-description.html) - [Similar pages](#)

## 5. Error-correction encoding and decoding system - Patent # 5371750 ...

Therefore, code word C.sub.y may be expressed as a **vector** (F.sub.1, ... at the information symbol of the **basic code** is called a "pseudo-error. ...

[www.patentgenius.com/patent/5371750.html](http://www.patentgenius.com/patent/5371750.html) - 47k - [Cached](#) - [Similar pages](#)

## 6. ERROR-CORRECTING ENCODING AND DECODING METHOD AND SYSTEM USING A ...

wherein the code word of the **composite code** in the first direction is .... Therefore,

code word C y after the superimposing is expressed as a **vector** (F 1 ...

[www.freepatentsonline.com/EP0471085.html](http://www.freepatentsonline.com/EP0471085.html) - [Similar pages](#)

by T INOUE - 1997 - [Cited by 29](#) - [Related articles](#) - [All 8 versions](#)

## 7. [Error-correction encoding and decoding system - Patent 5371750](#)

means for decoding the received **composite code** word along the first direction ....

Therefore, code word C y may be expressed as a **vector** (F 1 , F 2 , . . . ...

[www.freepatentsonline.com/5371750.html](http://www.freepatentsonline.com/5371750.html) - [Similar pages](#)

by T Inoue - 1994 - [Cited by 29](#) - [Related articles](#) - [All 8 versions](#)

[More results from www.freepatentsonline.com >](#)

## 8. [\[PDF\] On Navigation and Analysis of Software Architecture Evolution](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Similar to the Ohlsson's GYR model, Elbaum and Munson used a **composite code**.

measurement called "code churn" to predict program components' future defects ...

[plg.uwaterloo.ca/~migod/supervision/QiangTu-MMathThesis-2002.pdf](http://plg.uwaterloo.ca/~migod/supervision/QiangTu-MMathThesis-2002.pdf) - [Similar pages](#)

by Q Tu - [Cited by 7](#) - [Related articles](#) - [All 2 versions](#)

## 9. [\[PDF\] HIRT LAYOUT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Basic Code** Design. Adler et al. [13, 16] have shown that a finite-state machine .... of control **vector** Q that can be used to set initial conditions ...

[163.23.224.16/wireless/report\\_paper/IrDA-VF1r%2016%20Mbs%20modulation%20code%20and%20system%20design.pdf](http://163.23.224.16/wireless/report_paper/IrDA-VF1r%2016%20Mbs%20modulation%20code%20and%20system%20design.pdf) - [Similar pages](#)

## 10. [\[PDF\] Developing SQL and External Routines](#)

File Format: PDF/Adobe Acrobat

v A **vector** containing a null indicator for each parameter on the CALL. statement. ....

v Visual **Basic code** for a parameter style SQL procedure ...

[ftp://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en\\_US/db2a3e90.pdf](http://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en_US/db2a3e90.pdf)

- [Similar pages](#)



basic-code vector to composite-code vector

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▼

Sign in



composite-code vector pdf

Search

Advanced Search  
Preferences



Web Books

Results 1 - 10 of about 732 for **composite-code vector pdf**. (0.19 seconds)

1. Anomalous behavior associated with **vector** quantizing code books ...

structed **composite code vector**. If the code book pdfs. for. LSF. 3. and. 4. are graphed together, they appear to be. reversed. That. is. the **pdf** for ...

ieeexplore.ieee.org/iel5/6181/16503/00762343.pdf - [Similar pages](#)

by JS Collura - 1993

2. Adaptive space-time chip-level equalization for WCDMA downlink ...

-th branch, the new incoming output matrix. block. Y4'. 01. is first despread with the. \$. -th base-station's pilot. **composite code vector** for the ...

ieeexplore.ieee.org/iel5/7828/21516/00997126.pdf?arnumber=997126 - [Similar pages](#)

by F Petre - 2002 - [Cited by 7](#) - [Related articles](#) - [All 4 versions](#)

[More results from ieeexplore.ieee.org ...](#)

3. (WO/2005/008474) DEVICE AND METHOD FOR COMPOSING CODES

use the PDF version for legal matters. CLAIMS: 1. ... word (118) is deployed to configure the additional operations on the **composite-code vector**. ...

www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS - 19k

- [Cached](#) - [Similar pages](#)

4. (WO/2005/008474) DEVICE AND METHOD FOR COMPOSING CODES

use the PDF version for legal matters. Device and method for composing codes The ...

An output of the device 100 comprises a **composite-code vector** 104. ...

www.wipo.int/pctdb/en/wo.jsp?IA=WO2005008474&DISPLAY=DESC - 38k

- [Cached](#) - [Similar pages](#)

5. Device and Method for Composing Codes - Patent 20080059551

Images are available in PDF form when logged in. To view PDFs, Login or Create ...

An output of the device 100 comprises a **composite-code vector** 104. ...

www.freepatentsonline.com/y2008/0059551.html - [Similar pages](#)

6. TDM speech transmission method with **composite code** inserted in one ...

Images are available in PDF form when logged in. .... for the **vector** quantization, that the speech frames be at least around 0.6 ms long. ...

www.freepatentsonline.com/EP0510573.html - [Similar pages](#)

by H Suda - 1997 - [All 3 versions](#)

[More results from www.freepatentsonline.com »](#)

7. [PDF] Adaptive Chip Equalization for DS-CDMA Downlink with Receive Diversity

File Format: PDF/Adobe Acrobat - [View as HTML](#)

By despreading (26) with the pilot **composite code vector**  $c_j$ , p. [1] and by relying on the orthonormality of the user and the pilot **composite code vectors** ...

[ftp://ftp.esat.kuleuven.ac.be/pub/SISTA/leus/reports/03-150.pdf](http://ftp.esat.kuleuven.ac.be/pub/SISTA/leus/reports/03-150.pdf) - [Similar pages](#)

by F Petre - Cited by 1 - [Related articles](#) - [All 3 versions](#)

8. [Associative properties of a multichannel photon echo and optical ...](#)

multichannel SPE signals when the second pulse is the **composite code** pulse ( $A'$  is the wave **vector** of the first unpolarised pulse;  $k'$  ...

[www.iop.org/EJ/article/1063-7818/25/10/A20/OEL\\_25\\_10\\_A20.pdf](http://www.iop.org/EJ/article/1063-7818/25/10/A20/OEL_25_10_A20.pdf) - [Similar pages](#)

by IS Blizbov - 1995 - Cited by 5 - [Related articles](#) - [All 5 versions](#)

9.

[Information Theory and Applications: Third Canadian Workshop, ...](#) - Google Books Result

by T. Aaron Gulliver, Norman P. Secord - 1993 - Science - 394 pages

The period **vector** illustrated assumes that  $l=2$  and  $l=3$ . original one, ... For product codes, the Hamming distance of the **composite code** is equal to the ...

[books.google.com/books?isbn=3540579362...](http://books.google.com/books?isbn=3540579362...)

10. [PDF] \*EP001357693A1\*

File Format: PDF/Adobe Acrobat - [View as HTML](#)

operation with the desired user's **composite code vector**  $c_m$ , [1] deterministically removes the MUI at each receive. antenna : ...

<https://.../PublicationServer/document/pdf.jsp?iDocId=5430313&iebug=.pdf>

[Similar pages](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

Web Images Maps News Shopping Gmail more ▼



Sign in

composite-code vector pdf

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 11 - 20 of about 732 for **composite-code vector pdf**. (0.11 seconds)1. [PDF] [Multi-carrier block-spread CDMA for broadband cellular downlink](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)the user **composite code** sequence  $c_m[n]$ , which is the multi- ... user's **composite code vector** used to block-spread its data. symbol block  $s_m$  ...[ens.ewi.tudelft.nl/~leus/papers/JASP04\\_2.pdf](#) - [Similar pages](#)by F Petre - 2004 - [Cited by 6](#) - [Related articles](#) - [All 10 versions](#)2. [PDF] [Space-Time Coding for Single-Carrier Block-Spread CDMA Cellular ...](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)**composite code vector** used to spread its total data symbol. block  $s_m[i]$ . Starting from the symbol level equivalent of (8), the ob- ...[http://ftp.esat.kuleuven.ac.be/pub/SISTA/leus/reports/03-148.pdf](#) - [Similar pages](#)by F Petre - [Cited by 1](#) - [Related articles](#) - [All 5 versions](#)3. [PDF] [Multicarrier Block-Spread CDMA for Broadband Cellular Downlink](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)user's **composite code vector** used to block-spread its data. symbol block  $s_m$  ....posite code **vector**  $c_m[i]$  (we assume the  $m$ th user to be the ...[www.hindawi.com/getpdf.aspx?doi=10.1155/s1110865704401048](#) - [Similar pages](#)4. [EP1357693 Imec european software patent - Cdma transceiver ...](#)is the  $m$ -th user's **composite code vector** used to block spread its data ... Indeed, by block despreadng (11) with the desired user's **composite code vector** ...[gauss.ffii.org/PatentView/EP1357693 - 123k](#) - [Cached](#) - [Similar pages](#)5. [StorePriceBO](#)Parameters: code\_qty - - the Map that consist of "item **composite code** - qty" key-value pairs: vid - - vendor id ... Returns: the **vector** of PriceDTO objects ...[https://www.avetli.com/ac7javadoc/com/avetli/simplemerce/store/businessobjects/](#)

StorePriceBO.html - 54k - [Cached](#) - [Similar pages](#)

## 6. [Separable concatenated codes with iterative map filtering](#)

The noisy codeword enters the MAP "filter" as a **vector** of independent ... than performing true MAP decoding for the entire **composite code**. Consider the two- ... [www.springerlink.com/index/f077h4r8717k233t.pdf](#) - [Similar pages](#)  
by J Lodge - [Related articles](#) - [All 3 versions](#)

## 7. [\[PDF\] Agilent 89601A Vector Signal Analysis Software for W-CDMA and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Signal analysis capabilities include **composite code**, domain power, composite time, ..... composite signal are error **vector** time and error **vector**. spectrum. ... [www.home.agilent.com/agilent/redirector.jsp?action=ref&cname=AGILENT\\_EDITORIAL&ckey=574448&l...](#) - [Similar pages](#)

## 8. [Apple Assembly Line Volume 1 -- Issue 11 August, 1981 In This ...](#)

BRUNning sets up the ampersand **vector** at \$3F5-3F7 and returns. ... He chose 6 keys that can be "simultaneously" depressed to give a **composite code**. ... [linux.cis.monroeccc.edu/~paulrsm/6502/AAL/AAL8108.TXT](#) - 41k  
- [Cached](#) - [Similar pages](#)

## 9. [Copyright \(C\) The Apache Software Foundation. All rights reserved ...](#)

**Vector**; import java.lang.ref.WeakReference; /\*\* \* A modified version of Apache Batik's ... The <code>**Composite**</code> is used in all drawing methods such as ... [opensource.adobe.com/.../flex/sdk/trunk/modules/swfutils/src/java/flash/graphics/g2d/GraphicContext.java](#) - 13k - [Cached](#) - [Similar pages](#)

## 10. [Lloyd clustering of Gauss mixture models for image compression and ...](#)

(pdf) f for a generic random **vector** X: The **vector**. X is encoded into a binary code **vector** .... zer [58] or **composite code**: we design a separate. code, say Q ... [linkinghub.elsevier.com/retrieve/pii/S0923596505000135](#) - [Similar pages](#)  
by A Aiyer - 2005 - [Cited by 18](#) - [Related articles](#) - [All 5 versions](#)

composite-code vector pdf

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)